





















Accessories

Product	Product code	Selling unit	Illustration
<p>HardiePlank™ Galvanised Stud Clip</p> <p>A galvanised metal stud clip to be used with HardiePlank™ weatherboard to automatically set a 25mm lap.</p> <p>Note: Not suitable for coastal applications, see installation manual for further information.</p>	305524	100 per box	
<p>HardiePlank™ Smooth PVC Jointer</p> <p>A smooth PVC extrusion used to join HardiePlank™ weatherboards.</p>	<p>305548</p> <p>For: 230mm boards</p>	100 per box	
	<p>305549</p> <p>For: 300mm boards</p>		
<p>HardiePlank™ Woodgrain PVC Jointer</p> <p>A woodgrain textured PVC extrusion used to join HardiePlank™ weatherboards.</p>	<p>305550</p> <p>For: 230mm boards</p>	100 per box	
	<p>305551</p> <p>For: 300mm boards</p>		
<p>HardiePlank™ Zinalume Footmould</p> <p>A zinalume starter strip to be used with HardiePlank™ weatherboard to kick out the bottom row to the correct angle.</p> <p>Length: 3,000mm</p>	305528	10 per pack	
<p>HardieTex™ 7.5mm PVC Z Flashing</p> <p>A PVC extrusion for use with HardieTex™ system to provide an alternative detail option at horizontal control joints.</p> <p>Length: 3,000mm</p>	305569	25 per pack	
<p>HydrEpoxy® 501 (two-part epoxy, 2 litre set)</p> <p>A two-part epoxy to join HardiePanel™ compressed sheets.</p> <p>Note: Suitable for internal applications only – James Hardie does not recommend for external use.</p>	305529	1 set includes both Part A and Part B tubs	
<p>James Hardie™ 14mm Aluminium External Trim Corner</p> <p>A ready to paint aluminium extrusion to be used to create external boxed corners.</p> <p>Length: 3,000mm</p>	305519	5 per pack	
<p>James Hardie™ 16mm Aluminium External Trim Corner</p> <p>A ready to paint aluminium extrusion to be used to create external boxed corners.</p> <p>Length: 3,000mm</p>	305630	5 per pack	
<p>James Hardie™ 9mm Aluminium External Corner</p> <p>A ready to paint aluminium extrusion, to be used at external corner junctions to conceal the board edge.</p> <p>Length: 3,000mm</p>	305521	5 per pack	
<p>James Hardie™ 9mm Aluminium Horizontal h Flashing</p> <p>A ready to paint aluminium horizontal flashing to be used for horizontal control joints.</p> <p>Length: 3,000mm</p>	305613	5 per pack	
<p>James Hardie™ 9mm Aluminium Horizontal h Jointer</p> <p>A ready to paint aluminium jointer, used to join the James Hardie™ 9mm Aluminium Horizontal h Flashing.</p>	305614	10 per pack	












Product	Product code	Selling unit	Illustration
James Hardie™ 9mm Aluminium Internal Corner A ready to paint aluminium extrusion, to be used at internal corner junctions to conceal the board edge. Length: 3,000mm	305520	5 per pack	
James Hardie™ 14mm Aluminum Internal Corner A ready to paint aluminium extrusion to be used with Scyon™ Stria™ cladding to create internal corners. Length: 3,000mm	305518	5 per pack	
James Hardie™ 16mm Aluminium Internal Corner Mould A ready to paint aluminium extrusion to be used with Scyon™ Stria™ cladding and Linea™ weatherboard to create internal corners. Length: 3,600mm	305511	5 per pack	
James Hardie™ Aluminium Snap On Corner A ready to paint aluminium extrusion set, to be used at internal and external corner junctions to conceal the board edge. Length: 3,000mm (2 pieces per set).	305513	5 sets per pack	
James Hardie™ Backing Strip A weather seal at horizontal panel joints for use with ExoTec® facade panel and fixing system and Scyon™ Matrix™ cladding.	305557 Length: 1,190mm	10 per pack or each	
	305558 Length: 2,390mm		
	305559 Length: 2,990mm		
James Hardie™ Base Coat 15kg Bag A water-resistant base coat compound used in conjunction with James Hardie™ Top Coat to create a seamless flush joint for Villaboard® lining.	304491	1 each	
James Hardie™ Base Coat 4kg Tub A water-resistant base coat compound used in conjunction with James Hardie™ Top Coat to create a seamless flush joint for Villaboard® lining.	305535	4 per box	
James Hardie™ 75x75mm Colorbond® Corner Flashing A Colorbond® corner flashing for use behind cladding at internal and external corners. Length: 3,000mm	305564	5 per pack	
James Hardie™ Facade Washers Facade washers used for exposed fastener fixing with ExoTec® facade panel and fixing system and Scyon™ Matrix™ cladding.	305565	1,000 per bag	
James Hardie™ Fibreshears Electric tool for cutting fibre cement sheets.	300653	1 each	








Accessories

Product	Product code	Selling unit	Illustration
<p>James Hardie™ 50mm wide Foam Back Sealing Tape</p> <p>A self-adhesive foam tape to help improve water tightness. It is applied under sheet joints to the vapour permeable membrane along the stud face.</p> <p>Roll: 25 metres long x 50mm x 1.6mm thick</p>	304560	1 each 25 metres long roll	
<p>James Hardie™ Intermediate Top Hat</p> <p>A metal top hat for use with ExoTec® and ComTex® facade panel and fixing system, for intermediate sheet support.</p> <p>50mm wide x 35mm deep x 1.15mm gauge thick</p>	<p>302701 Length: 6,00mm</p>	50 per pack or 1 each	
	<p>302700 Length: 7,200mm</p>		
<p>James Hardie™ Joint Sealant^</p> <p>A general purpose, paintable, exterior grade polyurethane joint sealant.</p> <p>Note: Not recommended for fire applications.</p> <p>300ml cartridge</p>	305534	20 per box	
<p>James Hardie™ Joint Sealant^</p> <p>A general purpose, paintable, exterior grade polyurethane joint sealant.</p> <p>Note: Not recommended for fire applications.</p> <p>600ml sausage</p>	305672	20 per box	
<p>James Hardie™ PVC Cap Mould</p> <p>A PVC extrusion used to finish sheet edges.</p>	<p>305542 Length: 3,000mm x 4.5mm</p>	25 per pack	
	<p>305543 Length: 3,000mm x 6.0mm</p>		
<p>James Hardie™ 18mm PVC Cavity Vent Strip</p> <p>A perforated PVC extrusion used at the bottom of walls behind Scyon™ Matrix™ cladding.</p>	305555	25 per pack	
<p>James Hardie™ 45x45mm PVC Corner Angle Mould</p> <p>A PVC extrusion used to finish internal and external corners.</p> <p>Length: 3,000mm</p>	305554	25 per pack	
<p>James Hardie™ PVC Eave and Soffit Jointer for use with 4.5mm thick sheets</p> <p>A PVC extrusion used to join 4.5mm thick Versilux® or HardieFlex™ sheets in eave and soffit applications, to give an expressed joint look.</p> <p>Note: Not suitable for external wall cladding applications.</p> <p>Length: 3,000mm</p>	305506	25 per pack	
<p>James Hardie™ PVC Eave and Soffit Jointer for use with 6mm thick sheets</p> <p>A black PVC extrusion used to join 6mm thick Versilux® or HardieFlex™ sheets in eave and soffit applications, to give an expressed joint look.</p> <p>Note: Not suitable for external wall cladding applications.</p> <p>Length: 3,000mm</p>	305432	25 per pack	
<p>James Hardie™ PVC External Corner Angle for 6mm thick sheets</p> <p>A PVC extrusion, to be used with 6mm thick sheets at external corner junctions to conceal the sheet edge.</p> <p>Length: 3,000mm</p>	305544	25 per pack	

Product	Product code	Selling unit	Illustration
James Hardie™ PVC Flashing Mould for 6mm thick sheets A PVC extrusion for multicourse fixing of 6mm thick sheets. Length: 3,000mm	305552	25 per pack	
James Hardie™ PVC Internal Corner Angle for 6mm thick sheets A PVC extrusion, to be used with 6mm thick sheets at internal corner junctions to conceal the sheet edge. Length: 3,000mm	305545	25 per pack	
James Hardie™ 7.5mm PVC Starter Strip A perforated PVC extrusion, used with HardieTex™ base sheet to provide a straight edge to finish the texture coating or used with PrimeLine® Newport or Summit weatherboard to kick out the bottom row to the correct angle. Length: 3,000mm	305568	25 per pack	
James Hardie™ PVC Straight Joiner A PVC extrusion used to join sheets.	305538 Length: 2,400mm x 4.5mm	25 per pack	
	305541 Length: 3,000mm x 4.5mm		
	305546 Length: 3,000mm x 6.0mm		
James Hardie™ Score & Snap Knife A tungsten tipped knife for scoring fibre cement sheets.	305576	20 per box	
James Hardie™ Top Coat 3kg Tub A water-resistant top coat compound used in conjunction with James Hardie™ Base Coat to create a seamless flush joint for Villaboard® lining.	305536	4 per box	
James Hardie™ Top Coat 15kg Tub A water-resistant top coat compound used in conjunction with James Hardie™ Base Coat to create a seamless flush joint for Villaboard® lining.	304493	1 each	
Linea™ Aluminium Corner Soaker A ready to paint aluminium external corner soaker for use with Scyon™ Linea™ weatherboards.	305572 For: 180mm boards	100 per box	
	305574 For: 150mm boards		
Linea™ Aluminium External Slimline Boxed Corner A ready to paint aluminium extrusion to be used with Scyon™ Linea™ weatherboard to create external boxed corners. Length: 3,600mm	305512	5 per pack	
Linea™ Aluminium Universal Window Adaptor A ready to paint aluminium extrusion to be used adjacent to windows to finish the edge of Scyon™ Linea™ weatherboard. Length: 3,700mm	305510	5 per pack	

Accessories

Product	Product code	Selling unit	Illustration
<p>Linea™ PVC Box Corner Z Flashing</p> <p>A PVC Z flashing for use with Scyon™ Linea™ weatherboard in conjunction with Scyon™ Axent™ trim to form external corners.</p> <p>Length: 2,700mm</p>	305570	25 per pack	
<p>Linea™ PVC Starter Strip</p> <p>A perforated PVC starter strip used to set out the bottom edge of Scyon™ Linea™ weatherboards at the correct angle.</p> <p>Length: 3,000mm</p>	305571	25 per pack	
<p>Ornate Base/Capital</p> <p>To suit 195mm column diameter.</p> <p>Outside diameter: 359mm Height: 95mm</p>	402866	1 each	
<p>Ornate Base/Capital</p> <p>To suit 250mm column diameter.</p> <p>Outside diameter: 431mm Height: 95mm</p>	402851	1 each	
<p>Ornate Base/Capital</p> <p>To suit 345mm column diameter.</p> <p>Outside diameter: 521mm Height: 95mm</p>	400570	1 each	
<p>Ornate Base/Capital</p> <p>To suit 425mm column diameter.</p> <p>Outside diameter: 602mm Height: 95mm</p>	400611	1 each	
<p>Pencil Round Base/Capital</p> <p>To suit 195mm column diameter.</p> <p>Outside diameter: 259mm Height: 60mm</p>	402865	1 each	
<p>Pencil Round Base/Capital</p> <p>To suit 250mm column diameter.</p> <p>Outside diameter: 314mm Height: 60mm</p>	402870	1 each	
<p>Pencil Round Base/Capital</p> <p>To suit 345mm column diameter.</p> <p>Outside diameter: 407mm Height: 60mm</p>	400572	1 each	
<p>Pencil Round Base/Capital</p> <p>To suit 425mm column diameter.</p> <p>Outside diameter: 487mm Height: 60mm</p>	400613	1 each	
<p>PineRidge® & PanelClad® TextureLine PVC Straight Jointer</p> <p>Length: 2,700mm</p>	305780	25 per pack	

Product	Product code	Selling unit	Illustration
<p>PrimeLine® Galvanised Universal Off Stud Joint Clip</p> <p>A galvanised metal clip to be used for off stud jointing of PrimeLine® Heritage and PrimeLine® Chamfer weatherboards.</p> <p>Note: Not suitable for coastal applications, see installation manual for further information.</p>	305525	100 per box	
<p>Quad Base/Capital</p> <p>To suit 195mm column diameter.</p> <p>Outside diameter: 259mm Height: 30mm</p>	402850	1 each	
<p>Quad Base/Capital</p> <p>To suit 250mm column diameter.</p> <p>Outside diameter: 314mm Height: 30mm</p>	402852	1 each	
<p>Rebate Base/Capital</p> <p>To suit 345mm column diameter.</p> <p>Outside diameter: 336mm Height: 140mm</p>	400569	1 each	
<p>Rebate Base/Capital</p> <p>To suit 425mm column diameter.</p> <p>Outside diameter: 416mm Height: 140mm</p>	400610	1 each	
<p>Stria™ Vertical Flashing Stop</p> <p>For use with Scyon™ Stria™ cladding behind boards at vertical joints.</p> <p>Length: 3,000mm</p>	305547	5 per pack	
<p>Twin Base/Capital</p> <p>To suit 195mm column diameter.</p> <p>Outside diameter: 259mm Height: 55mm</p>	402860	1 each	
<p>Twin Base/Capital</p> <p>To suit 250mm column diameter.</p> <p>Outside diameter: 314mm Height: 55mm</p>	402869	1 each	